Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 24, October 8, 2015

For the Period September 29 to October 5, 2015

Wet and cool weather over the weekend has slowed harvest progress for many producers, according to Saskatchewan Agriculture's Weekly Crop Report. Eighty-four per cent of the crop is now in the bin, up from 74 per cent last week. Twelve per cent is swathed or ready to straight-cut.

The five-year (2010-2014) average for this time of year is 83 per cent combined and 12 per cent swathed or ready to straight-cut.

Regionally, producers in the southeast are furthest advanced, having 94 per cent of the crop combined. Producers in the southwest have 92 per cent combined. Eighty-one per cent of the crop is combined in the west-central region; 75 per cent in the east-central region; 74 per cent in the northeast and 73 per cent in the northwest.

Eighty-six per cent of barley, 85 per cent of durum, 84 per cent of spring wheat, 81 per cent of canola, 79 per cent of soybeans, 61 per cent of chickpeas, 47 per cent of flax and 45 per cent of canary seed have been combined.

One year ago

Wet and cool weather stalled harvest progress for many producers. Seventy-two per cent of the crop had been combined. High levels of fusarium head blight were being reported in most areas of the province.

Follow the 2015 Crop Report on Twitter @SKAgriculture

Saskatchewan Harvest October 5, 2015 % combined	
Winter wheat	100
Fall rye	99
Spring wheat	84
Durum	85
Oat*	77
Barley	86
Canaryseed	45
Flax	47
Canola	81
Mustard	94
Soybeans	79
Lentils	99
Peas	99
Chickpeas	61
*includes three per cent 'other'	

Harvest Progress in SK Per cent Combined All Crops	
Oct 5/15	**84**
5 year avg. (2010-2014)	83
Oct 6/14	72
Oct 7/13	89
Oct 1/12	97
Oct 3/11	98
Oct 4/10	60
10 year avg. (2005-2014)	84

Crop yields vary from region to region but are generally within the average range. Average yields are reported as 37 bushels per acre for spring wheat, 32 bushels per acre for durum, 59 bushels per acre for barley, 34 bushels per acre for canola and 32 bushels per acre for peas.

Of the hard red spring wheat that has been harvested so far, 27 per cent is expected to fall into the 1CW grade, 41 per cent into 2CW, 23 per cent into 3CW and nine per cent into CW feed.

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Rainfall last week ranged from trace amounts to nearly two inches in the southwest. Provincially, topsoil moisture conditions on cropland are rated as 14 per cent surplus, 78 per cent adequate and eight per cent short. Hay land and pasture topsoil moisture is rated as five per cent surplus, 80 per cent adequate, 11 per cent short and four per cent very short.

The Ministry of Agriculture has a Forage, Feed and Custom Service listing for producers to advertise and source feed products. It is available at www.agriculture.gov.sk.ca/FeedForageListing.

Farmers are busy harvesting and hauling bales and grain.

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Wet and cool conditions over the weekend halted harvest for many producers. While many producers have wrapped up harvest, others will need at least another week or more of warm and dry weather before they are done. Ninety-four per cent of the crop is now in the bin, up from 88 per cent last week. The five-year (2010-2014) average for this time of year is 82 per cent combined.

Crop yields in general are considered to be about average but vary throughout the region. Of the hard red spring wheat that has been harvested so far, 40 per cent is expected to fall into the 1CW grade, 45 per cent into 2CW, 12 per cent into 3CW and three per cent into CW feed. Quality remains a concern in some crops due to the wet conditions this fall. Swaths are slow to dry down in some areas and some tough grain is being placed into aeration.

Rainfall in the region ranged from small amounts to 32 mm in the Weyburn area. Most of the region did not receive any rainfall this past week, although the Moosomin area is reporting 6 mm. At 422 mm, the Tantallon area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as 10 per cent surplus, 82 per cent adequate and eight per cent short. Hay land and pasture topsoil moisture is rated as four per cent surplus, 79 per cent adequate and 17 per cent short.

Farmers are finishing up harvest as weather permits and completing fall work.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Despite cool and wet conditions last week that stalled harvest in some areas, 92 per cent of the crop is now in the bin, up from 85 per cent last week. The five-year (2010-2014) average for this time of year is 87 per cent combined. Most producers will need at least another week or two of warm and dry weather in order to complete harvest.

Crop yields in general are considered to be about average but vary throughout the region. Of the hard red spring wheat that has been harvested so far, 34 per cent is expected to fall into the 1CW grade, 28 per cent into 2CW, 26 per cent into 3CW and 12 per cent into CW feed. Quality remains a concern in some crops due to the wet conditions this fall. Many flax crops remain green and producers are hoping for frost to help bring the crop in.

Rainfall ranged from 13 mm to 46 mm in the Gull Lake area. At 557 mm, the Mortlach area holds the regional and provincial records for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as six per cent surplus, 79 per cent adequate, 11 per cent short and four per cent very short. Hay land and pasture topsoil moisture is rated as six per cent surplus, 73 per cent adequate, 17 per cent short and four per cent very short.

Farmers are finishing up harvest, hauling bales and completing fall work.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Cool and wet conditions continue to delay harvest in many areas . Seventy-five per cent of the crop is now combined, up from 66 per cent last week. The five-year (2010-2014) average for this time of year is 79 per cent combined. Most producers will need several more weeks of warm and dry weather to finish up harvest.

Crop yields in general are considered to be about average but vary throughout the region. Of the hard red spring wheat that has been harvested so far, 19 per cent is expected to fall into the 1CW grade, 45 per cent into 2CW, 25 per cent into 3CW and 11 per cent into CW feed. Quality remains a concern in some crops due to the wet conditions this fall. Many fields remain wet and swaths are slow to dry down in some areas.

Rainfall ranged from trace amounts to 29 mm in the Bulyea area. At 439 mm, the Meacham area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 18 per cent surplus, 81 per cent

adequate and one per cent short, while hay land and pasture topsoil moisture conditions are rated as six per cent surplus, 92 per cent adequate and two per cent short.

Farmers are busy harvesting, hauling bales and completing fall work.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Harvest continues in the region despite the wet and cool conditions over the weekend. Eighty-one per cent of the crop is now in the bin, up from 70 per cent last week. The five-year (2010-2014) average for this time of year is 83 per cent combined. Most producers will need at least another week or more of warm and dry weather to complete harvest.

Crop yields in general are considered to be about average but vary throughout the region. Of the hard red spring wheat that has been harvested so far, 18 per cent is expected to fall into the 1CW grade, 43 per cent into 2CW, 29 per cent into 3CW and 10 per cent into CW feed. Quality remains a concern in some crops due to the wet conditions this fall. The recent rain has sprouted and bleached the cereal crops still in the field.

Rainfall ranged from trace amounts to 25 mm in the Outlook area. At 380 mm, the Outlook area continues to hold the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as six per cent surplus, 91 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as 96 per cent adequate, three per cent short and one per cent very short.

Farmers are harvesting and completing fall work such as baling straw and spraying weeds.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Significant combining progress was made last week prior to the cool and wet weather that stalled many producers. Seventy-four per cent of the crop is now in the bin, up from 59 per cent last week. The five-year (2010-2014) average for this time of year is 85 per cent combined. Producers will need several more weeks of warm and dry weather to finish up harvest.

Crop yields in general are considered to be about average but vary throughout the region. Of the hard red spring wheat that has been harvested so far, 28 per cent is expected to fall into the 1CW grade, 40 per cent into 2CW, 23 per cent into 3CW and nine per cent into CW feed. Quality remains a concern in some crops due to the wet conditions this fall. Many crops have come off tough and are being placed in aeration as time allows.

Rainfall in the region ranged from trace amounts to 25 mm in the Alvena area. At 484 mm, the Humboldt area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 51 per cent surplus and 49 per cent adequate. Hay land and pasture topsoil moisture is rated as 27 per cent surplus and 73 per cent adequate. Some fields remain very wet and cannot hold equipment for long periods of time.

Farmers are busy harvesting, working fields and hauling bales.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

A cool and wet weekend has stalled harvest for many producers in the region. Seventy-three per cent of the crop has now been combined, up from 57 per cent last week. The five-year (2010-2014) average for this time of year is 85 per cent combined. Producers will need several weeks of warm and dry weather to complete harvest.

Crop yields in general are considered to be about average but vary throughout the region. Of the hard red spring wheat that has been harvested so far, 29 per cent is expected to fall into the 1CW grade, 34 per cent into 2CW, 29 per cent into 3CW and eight per cent into CW feed. Quality remains a concern in some crops due to the wet conditions this fall. Many crops have come off tough and are being placed in aeration as time allows.

Rainfall in the region ranged from trace amounts to 28 mm in the Duck Lake area. At 399 mm, the Duck Lake area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 91 per cent adequate and nine per cent short. Hay land and pasture topsoil moisture is rated as 88 per cent adequate and 12 per cent short.

Farmers are busy harvesting, hauling bales and working fields.

Provincial Estimated Crop Yields - October 5, 2015

* 'Other wheat' includes all wheat classes other than Hard Red Spring Wheat
** Crop yield predictions at this point in time.
Please keep in mind these are regional averages, and yields can vary greatly across an area.
*** Canaryseed, mustard, lentil and chickpea in lbs/ac. All other crops in bu/ac.

	Winter wheat	Fall rye	HRSW	Other wheat*	Durum	Oat	Barley	Canary-seed
Southeast	39	36	35	41	31	67	50	1036
Southwest	28	32	29	27	32	54	47	848
East Central	41	38	38	40	38	79	60	1258
West Central	35	25	35	43	35	68	58	891
Northeast	32	27	41	43	40	101	68	1660
Northwest	50	30	40	47	N/A	86	65	N/A
Provincial	**38**	**33**	**37**	**41**	**32**	**83**	**59**	**1099**
	Flax	**Canola**	**Mustard**	**Soybean**	**Pea**	**Lentil**	**Chick-pea**	
Southeast	22	30	956	27	32	1296	1200	
Southwest	20	28	1130	26	27	1235	1343	
East Central	24	36	969	28	36	1518	1000	
West Central	25	33	1239	25	32	1310	900	
Northeast	247	38	925	30	37	850	N/A	
Northwest	25	38	1500	N/A	39	1200	N/A	
Provincial	**23**	**34**	**1119**	**27**	**32**	**1279**	**1323**	

Saskatchewan Harvest Progress - October 5, 2015

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	**0**	**0**	**0**	**100**	
Fall Rye	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	0	10	0	90	
provincial	**0**	**1**	**0**	**99**	

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	1	1	2	96	
southwest	2	0	7	91	
east central	3	7	8	82	
west central	4	7	14	75	
northeast	0	5	13	82	
northwest	5	4	7	84	
provincial	**3**	**5**	**8**	**84**	
Durum	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	2	4	0	94	
southwest	2	1	4	93	
east central	3	6	11	80	
west central	12	11	12	65	
northeast	0	10	10	80	
northwest	N/A	N/A	N/A	N/A	
provincial	**5**	**5**	**5**	**85**	
Barley	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	1	2	97	
southwest	4	2	4	90	
east central	2	6	3	89	
west central	5	10	13	72	
northeast	0	0	5	95	
northwest	4	7	8	81	
provincial	**3**	**5**	**6**	**86**	
Oats	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	0	2	0	95	3
southwest	3	14	6	65	12
east central	4	11	5	79	1
west central	17	10	16	49	8
northeast	2	4	14	80	0
northwest	15	20	14	44	7
provincial	**5**	**9**	**9**	**74**	**3**
Canaryseed	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	16	1	10	73	
southwest	12	8	9	71	
east central	20	10	35	35	
west central	49	0	27	24	
northeast	58	7	13	22	
northwest	N/A	N/A	N/A	N/A	
provincial	**34**	**3**	**18**	**45**	
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	17	3	5	75	
southwest	35	6	24	35	
east central	43	19	13	25	
west central	24	9	27	40	
northeast	49	19	19	13	
northwest	33	15	7	45	
provincial	**30**	**9**	**14**	**47**	

Canola	% Standing	% in swath	% ready to straight combine	% combined	
southeast	1	3	0	96	
southwest	1	4	1	94	
east central	2	12	4	82	
west central	1	15	5	79	
northeast	2	31	2	65	
northwest	0	33	3	64	
provincial	**1**	**16**	**2**	**81**	
Mustard	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	1	0	1	98	
east central	0	4	9	87	
west central	13	9	6	72	
northeast	0	5	5	90	
northwest	N/A	N/A	N/A	N/A	
provincial	**2**	**2**	**2**	**94**	
Soybeans	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	7	0	5	88	
southwest	15	0	48	37	
east central	41	0	35	24	
west central	50	0	20	30	
northeast	0	5	60	35	
northwest	N/A	N/A	N/A	N/A	
provincial	**12**	**0**	**9**	**79**	
Field Peas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	1	99	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	**0**	**0**	**1**	**99**	
Lentils	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	1	99	
northeast	0	0	0	100	
northwest	0	0	0	100	
provincial	**1**	**0**	**0**	**99**	
Chickpeas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	18	0	24	58	
east central	0	0	0	100	
west central	50	0	0	50	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	**17**	**0**	**22**	**61**	

Crop Districts and Rural Municipalities in Saskatchewan



Government of Saskatchewan

0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

© 2014 Government of Saskatchewan

Weekly Rainfall

from September 29 to October 5, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 7, 2015

© 2015 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period Sept 29 to Oct 5, 2015

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	4	316
	3	Enniskillen	3	283
	33	Moose Creek	N/A	314
	34	Browning	6	316
	61	Antler	N/A	333
	63	Moose Mountain	N/A	240.89
	64	Brock	7	239
	65	Tecumseh	14	226.5
1B	91	Maryfield	4	295
	122	Martin	5	375
	123	Silverwood	7	363
	124	Kingsley	10.01	353.01
	125 A	Chester	21	338
	125 B	Chester	17	300
	151 A	Rocanville	8	422
	154	Elcapo	15	276
	155 A	Wolseley	10	404
2A	67	Weyburn	32	259
	68	Brokenshell	25	223
	97	Wellington	26	214
2B	127 A	Francis	25	322
	127 B	Francis	15	254.48
	129	Bratt's Lake	15	226.5
	131 A	Baildon	25	336
	131 B	Baildon	N/A	284
	156 A	Indian Head	23	281
	156 B	Indian Head	30	346
	160 A	Perise	19	239
	161	Moose Jaw	21	306
	162	Caron	19	265.18
	191	Marquis	27	356
3ASE	38 A	Laurier	12.6	183.42
	38 B	Laurier	12	182
	39 A	The Gap	10	203
3ASW	10	Happy Valley	23	195
	12	Poplar Valley	25	317
	40 A	Bengough	N/A	N/A
	40 B	Bengough	18	298
	42	Willow Bunch	20	272
	43	Old Post	35	231.5
	70	Key West	N/A	25.38
	73 A	Stonehenge	22.85	384.49
	73 B	Stonehenge	21	367
3AN	101	Terrell	15	298
	102	Lake Johnston	15.69	226.65
	103	Sutton	N/A	408
	132 A	Hillsborough	35	556.5
	132 B	Hillsborough	25	411
	134	Shamrock	N/A	31.5
	193 A	Eyebrow	22	381
	193 B	Eyebrow	N/A	388
3BS	17	Val Marie	N/A	212.04
	75 A	Pinto Creek	32	401
	75 B	Pinto Creek	N/A	43
	76	Auvergne	27	284
	77	Wise Creek	25	245
	78	Grassy Creek	17.5	216
	105	Glenbain	N/A	300.5
	106	Whiska Creek	25	318
	107	Lac Pelletier	N/A	165
	108	Bone Creek	18	228
3BN	138 A	Webb	31	324.5
	138 B	Webb	23.5	181
	166	Excelsior	30	352
	167	Sask. Landing	20.8	305.95
	168 A	Riverside	N/A	227
	168 B	Riverside	17	207.95
	226	Victory	N/A	216
	228	Lacadena	15	237
	257	Monet	12.69	246.48

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	N/A	228.98
	51	Reno	24.87	197.97
	79	Arlington	N/A	219
	109 A	Carmichael	46	264
	109 B	Carmichael	N/A	49
	110	Piapot	N/A	172
	111	Maple Creek	N/A	149.14
4B	139	Gull Lake	25	270
	142	Enterprise	N/A	231
	169	Pittville	N/A	111
	231	Happyland	N/A	122
5A	183	Fertile Belt	14	417
	186	Abernethy	25	319
	211	Churchbridge	11	316
	213	Saltcoats	18	377
	216	Tullymet	N/A	117
	241	Calder	25	291
	243	Wallace	10	175
	244	Orkney	N/A	231
	245 A	Garry	N/A	346
	245 B	Garry	14	356
	245 C	Garry	16	336
	246	Ituna Bon Accord	14	363
	247	Kellross	9	368
	248	Touchwood	10	336.99
5B	271	Cote	23	290
	273	Sliding Hills	17	269
	277	Emerald	9	336
	305	Invermay	11	334.5
	307	Ethos	8	342
	308 A	Big Quill	8	316
	308 B	Big Quill	12	305.5
	331	Livingston	9	150
	336	Sasman	11	325
	337	Lakeview	9	423
	338	Lakeside	11	384
	366	Kelvington	8	390
	367	Ponass Lake	N/A	373
6A	190 A	Dufferin	26	428
	190 B	Dufferin	23	369
	190 C	Dufferin	18	299
	190 D	Dufferin	20	238
	219 A	Longlaketon	20	369
	219 B	Longlaketon	18	382
	220	Mckillop	29	358
	221	Sarnia	19.4	336.25
	222	Craik	18	425.5
	251	Big Arm	25	296.75
	252	Arm River	N/A	367
	279	Mount Hope	19	301.5
	282	McCraney	21	336
	312	Morris	16	321
	313	Lost River	N/A	321
	339	Leroy	9.99	355.32
	340	Wolverine	17	403
	341	Viscount	NIL	438
	343 A	Blucher	25	438.89
	343 B	Blucher	25	160
6B	223	Huron	23	331
	284	Rudy	25	380
	285	Fertile Valley	23	333
	286	Milden	24	351
	314	Dundurn	21	343
	344	Corman Park	23	249
	346	Perdue	23	263
	376	Eagle Creek	20	286
	403	Rosthern	24	310

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	21	346
	288	Pleasant Valley	15	292
	290 A	Kindersley	10	205.56
	290 B	Kindersley	5	185.04
	290 C	Kindersley	5	107
	292	Milton	2	189
	317 A	Marriott	N/A	210
	317 B	Marriott	N/A	265
	318	Mountain View	8	282
	320 A	Oakdale	5	238
	320 B	Oakdale	N/A	203
	321	Prairiedale	2	281.5
7B	347	Biggar	9	264
	350 A	Mariposa	10	236.82
	350 B	Mariposa	4	206
	351	Progress	2	223
	352	Heart's Hill	NIL	256
	377	Glenside	17	283
	378 B	Rosemount	11	283
	379	Reford	9	248
	381	Grass Lake	N/A	191.5
	382	Eye Hill	7.5	200.66
	409	Buffalo	N/A	221
	410	Round Valley	N/A	241.01
8A	395	Porcupine	N/A	418
	397	Barrier Valley	5.49	365.38
	428	Star City	13	433
	456	Arborfield	8	407
	457	Connaught	14	421.99
	486	Moose Range	13	408
	487	Nipawin	15	497
8B	369	St. Peter	7	338
	370 A	Humboldt	15	484
	370 B	Humboldt	23	440
	371	Bayne	N/A	360
	372	Grant	23	396.59
	400	Three Lakes	20	421
	402	Fish Creek	25	334
	429	Flett's Springs	20	430
	459	Kinistino	20	443
	460	Birch Hills	22	348.26
9AE	488	Torch River	20	334
	520	Paddockwood	24	354
	521	Lakeland	24	354
9AW	406	Mayfield	15	228
	435	Redberry	20	372
	436	Douglas	14	324
	463	Duck Lake	28	398.5
	467 A	Round Hill	N/A	251
	467 B	Round Hill	13	277
9B	438	Battle River	9	254
	440	Hillsdale	NIL	254.5
	442	Manitou Lake	NIL	233.22
	498 A	Parkdale	3	316.09
	498 B	Parkdale	NIL	255
	499 A	Mervin	NIL	274.98
	499 B	Mervin	N/A	61.94
	501 A	Frenchman Butte	NIL	283
	501 B	Frenchman Butte	2	250
	501 C	Frenchman Butte	N/A	269
	502	Britannia	NIL	171.5
	561	Loon Lake	NIL	340
	588 A	Meadow Lake	N/A	320
	588 B	Meadow Lake	N/A	N/A
	588 C	Meadow Lake	1	294
	622	Beaver River	NIL	236.5

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B and C - more than one reporter

Cumulative Rainfall

from April 1 to October 5, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 7, 2015

© 2015 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

October 5, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 7, 2015

© 2015 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

October 5, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture October 7, 2015

© 2015 Government of Saskatchewan